


limil
C e r a m i c a



800x1600mm | 80X160CM
FOSTER & LINEN COLLECTION



A SHA DOW OF MORE FADES

MIXING OF FIVE
ELEMENT OF
THE SURFACE


COMBINATION
OF ELEMENT
& SURFACE

**A
NEW
PHI
LO
SO
PHY**

FOR CERAMICS

**CAR-
VING**

STRUCTURE OR OBJECT,
FROM TOWN PLANNING,
URBAN DESIGN.



FOSTER SERIES



BIANCO



GRIS



GREY



NERO



BEIGE



TAUPE



GREEN

ROCK LINEN SERIES



BIANCO



GREY



GRIS



MINT



SAGE




BEIGE



SEPIA






FOSTER BIANCO

**800x1600 mm
Carving**

04 - Random

Touch for Virtual







FOSTER GRIS

**800x1600 mm
Carving**

04 - Random

Touch for Virtual







FOSTER GREY

**800x1600 mm
Carving**

04 - Random

Touch for Virtual







FOSTER NERO

**800x1600 mm
Carving**


04 - Random

Touch for Virtual



Mandarin Oriental






FOSTER BEIGE

**800x1600 mm
Carving**

04 - Random

Touch for Virtual







FOSTER TAUPE


**800x1600 mm
Carving**

04 - Random

Touch for Virtual







FOSTER GREEN


**800x1600 mm
Carving**

04 - Random

Touch for Virtual







ROCK LINEN BIANCO


**800x1600 mm
Carving**

04 - Random

Touch for Virtual










ROCK LINEN GREY


**800x1600 mm
Carving**

04 - Random

Touch for Virtual









ROCK LINEN GRIS


**800x1600 mm
Carving**

04 - Random

Touch for Virtual








ROCK LINEN MINT


**800x1600 mm
Carving**

04 - Random

Touch for Virtual








ROCK LINEN SAGE


**800x1600 mm
Carving**

04 - Random

Touch for Virtual








ROCK LINEN BEIGE


**800x1600 mm
Carving**

04 - Random

Touch for Virtual







ROCK LINEN SEPIA

**800x1600 mm
Carving**

04 - Random

Touch for Virtual



Technical Specification

| CHARACTERISTICS | STANDARD AS PER ISO-13006/En14411 GROUP | VALUES | TEST METHOD |
|--------------------------------------|---|--------------------------|----------------|
| REGULATORY PROPERTIES | | | |
| Deviation in Lenth & Width | 0.50% | 0.20% | ISO - 10545-2 |
| Deviation in Thickness | 0.50% | 0.50% | ISO - 10545-2 |
| Straightness of Sides | 0.50% | 0.20% | ISO - 10545-2 |
| Rectangularity | 0.50% | 0.20% | ISO - 10545-2 |
| Surface Flatness | 0.50% | 0.20% | ISO - 10545-2 |
| Color Difference | Unaltered | No Change | ISO - 10545-16 |
| Glossiness | As per Mfg. | >90% | Glossmeter |
| STRUCTURAL PROPERTIES | | | |
| Water Absorption | <0.05% | <0.05% | ISO - 10545-3 |
| Apparent Density | >2.00 g/cc | >2.10 g/cc | DIN 51082 |
| MASSIVE MECHANICAL PROPERTIES | | | |
| Modulus of Repture | Min 35N/MM2 | Min 40N/MM2 | ISO - 10545-4 |
| Breaking Strength | Min. 1300 N | Min. 2000 N | ISO - 10545-4 |
| Impact Resistance | As per Mfg. | Min. 0.55 | ISO - 10545-5 |
| SURFACE MECHANICAL PROPERTIES | | | |
| Surface Abrasion Resistance | As per Mfg. | Min. class 3 | ISO - 10545-7 |
| Moh's Hardness | As per Mfg. | Min. class 4 | EN 101 |
| THERMO HYGROMETRIC PROPERTIES | | | |
| Frost Resistance | No Damage | No Damage | ISO - 10545-12 |
| Thermal Shock Resistance | No Damage | No Damage | ISO - 10545-09 |
| Moisture Expansion | Nil | Nil | ISO - 10545-10 |
| Thermal Expansion | Max 9.0x10 ⁻⁶ | Max 6.5x10 ⁻⁶ | ISO - 10545-08 |
| Crazing Resistance | As per Mfg. | Min 10 Cycle | ISO - 10545-11 |
| CHEMICAL PROPERTIES | | | |
| Chemical Resistance | No Damage | No Damage | ISO - 10545-13 |
| Stain Resistance | Resistant | Resistant | ISO - 10545-14 |
| SAFETY PROPERTIES | | | |
| Slip Resistance | As per Mfg. | >0.40 | ISO - 10545-17 |
| Fire Resistance | As per Mfg. | Fire Proof | N.A. |

Packing Detail

| SIZE (in mm) | THICKNESS APPROX | PIECES / PER BOX | COVERAGE AREA IN SQ. FT | BOX WEIGHT (APPROX.) |
|--------------|------------------|------------------|-------------------------|------------------------|
| 800X1600 | 9 MM | 2 | 27.55 | 52 KG |



HEAD OFFICE:

No. 31,32 / 4th Floor, Harigun Business Center,
At- Mahendranagar, Morbi-363642 (Gujarat) INDIA

FACTORY:

Jetpar-Pipli Road, At- Rangpar
Morbi-363642 (Gujarat) INDIA

+91 9586811311 | +91 7802933333
info@limil.in www.limil.in