

**limil**  
Ceramica

60X120CM

**Glossy**  
finish


Liquidstone





• 600X1200MM •  
GOLD

CARVED ELEGANTLY ELITE CHOICE



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
01 FACES

### BRUMOSO WHITE



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting




Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application






**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

### DORADO BLACK



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting




Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application





**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY


**RANDOM\_**  
03 FACES

**DORADO GREEN**



Features

-  Resistant To Chemicals
-  Low Water Absorption
-  Long Lasting
-  Antislip Surface
-  Easy Cleaning
-  Quick & Easy Application




**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
01 FACES

**EGYPTO GOLD**



Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### ELINA SHINE AQUA



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application




**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
01 FACES

### ENDLESS EDICA STONE



#### Features

-  Resistant To Chemicals
-  Low Water Absorption
-  Long Lasting
-  Antislip Surface
-  Easy Cleaning
-  Quick & Easy Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### ENDLESS GOLDGEM WHITE



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application




**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
01 FACES

**ENDLESS ROFF GOLD**



Features

-  Resistant To Chemicals
-  Low Water Absorption
-  Long Lasting
-  Antislip Surface
-  Easy Cleaning
-  Quick & Easy Application





**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

### ESTIME AQUA



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

### EVA BLUE



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application




**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

### EVA GREEN



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

**FLOCK WHITE**



Features

-  Resistant To Chemicals
-  Low Water Absorption
-  Long Lasting
-  Antislip Surface
-  Easy Cleaning
-  Quick & Easy Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### FLUID GOLD



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting




Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application





**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### GASON BLUE



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting




Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application






**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### GASON GREEN



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting




Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application





**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

**GASON GREY**



Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
01 FACES

### GLAM AQUA



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting




Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application






**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
01 FACES

### GLAM GREY



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### GOLD SPIDER



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
01 FACES

### GOLD WAVE



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application





**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### GOLDEN STATUARIO



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

### LIQUID BLUE



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Antislip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

### LIQUID GREY



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Antislip  
Surface



Easy  
Cleaning



Quick & Easy  
Application





**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

### LIQUID RED



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Antislip  
Surface



Easy  
Cleaning



Quick & Easy  
Application




**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

### NEWTON BLUE



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting




Antislip  
Surface



Easy  
Cleaning



Quick & Easy  
Application





**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

**OCEAN GOLD MINT**



Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting




Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application





**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### OCEAN GOLD ROSE



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
04 FACES

### PEARL EMPERIO



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

**RECARDO WHITE**



Features

-  Resistant To Chemicals
-  Low Water Absorption
-  Long Lasting
-  Antislip Surface
-  Easy Cleaning
-  Quick & Easy Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### SHINE BLACK



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting




Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application




**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
03 FACES

### SONAR AQUA



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Anti-slip  
Surface



Easy  
Cleaning



Quick & Easy  
Application



**SIZE\_**  
600X1200 MM

**FINISH\_**  
GLOSSY

**RANDOM\_**  
02 FACES

### SUMMER WHITE



#### Features



Resistant  
To Chemicals



Low Water  
Absorption



Long  
Lasting



Antislip  
Surface



Easy  
Cleaning



Quick & Easy  
Application

## TECHNICAL SPECIFICATION - VITRIFIED TILES- POLISHED

SR	CHARACTERISTIC	International Std. ISO 13006 / Group Bla	Specification of Coverstone	Method of Testing
1	Length	±0.3%	±0.1%	ISO 10545-2
2	Thickness	±5%	±5%	ISO 10545-2
3	Straightness of Sides	±0.3%	±0.1%	ISO 10545-2
4	Rectangularity	±0.3%	±0.1%	ISO 10545-2
5	Surface Flatness	±0.4%	±0.1%	ISO 10545-2
6	Glossiness	Declared by manufacturer	pol-92-100%	ISO 2813(Gloss meter)
7	Water Absorption	E≤ 0.5 %	≤ 0.05 %	ISO 10545-3
8	MOH's Hardness	≥ 5	≥ 5	IS13630-13
9	Abrasion Resistance	Declared by manufacturer	PEI 3	ISO 10545-7
10	Flexural Strength (MOR)	≥ 35 N/mm <sup>2</sup> (350 Kg/cm <sup>2</sup> )	≥ 40 N/mm <sup>2</sup> (400 Kg/cm <sup>2</sup> )	ISO 10545 -4
11	Breaking strength	1300 Newton	1800 Newton	ISO 10545 -4
12	Density	≥ 2.0 gm/cc	> 2.3 gm/cc	DIN 51082
13	Thermal Shock Resistance	Resistant to 10 cycles	pass min10 cycles	ISO 10545 -9
14	Crazing Resistance	In conformity with the norms	Passed min 4 cycles at 7.5 kg /cm <sup>2</sup> /168° C	ISO 10545 - 11
15	Chemical Resistance HOUSEHOLD CHEMICALS & SWIMMING POOL SALTS	Min class- GB	confirm to classes-GA	ISO 10545 -13
16	Chemical Resistance LOW CONCENTRATIONS ACIDS & ALKALIS	Min class- GLB	confirm to classes-GLA	ISO 10545 -13
17	Chemical Resistance HIGH CONCENTRATIONS ACIDS & ALKALIS	min class- GHB	confirm to classes-GHA	ISO 10545 -13
18	Stain Resistance	min class-3	min confirm to class -3	ISO 10545 -14

### Packing Details

Dimension	Thickness (mm)	Pcs. / Box	Sq.Mtr. / Box	Weight / Box (Kgs)
600x1200mm	8.5	2	1.44	27.55



**HEAD OFFICE:**

No. 31,32 / 4th Floor, Harigun Business Center,  
At- Mahendranagar, Morbi-363642 (Gujarat) INDIA

**FACTORY:**

Jetpar-Pipli Road, At- Rangpar  
Morbi-363642 (Gujarat) INDIA

+91 9586811311 | +91 7802933333  
info@limil.in | www.limil.in