

**limil**  
C e r a m i c a



800x1600mm | 80X160CM  
STTEL COLLECTION



The Steel Series ceramic tiles from us feature a carving finish that adds depth and dimension to the overall design. The tiles have a carving finish that gives them a natural and organic feel, creating a sense of warmth and character in any space. The texture of these tiles is not only pleasing to the eye but also to the touch. The carving finish makes the tile feel smooth and natural, creating a sense of warmth and character in any space.


## THE DEPTH

# OF EFFECT



# ADARIA SERIES

---






**ADARIA ARGILE**



STEEL SERIES



*Embellish your space like no other.*




# ADARIA ARGILE

■ 800x1600mm


◆ **Matt** Finish / **Steel** Surface

Touch for Virtual





**ADARIA BIANCO**



# ADARIA BIANCO

■ 800x1600mm

◆ **Matt** Finish / **Steel** Surface

Touch for Virtual



STEEL SERIES



*The perfect amount of texture.*





**ADARIA CENZIA**



# ADARIA CENZIA

■ 800x1600mm

◆ **Matt** Finish / **Steel** Surface

Touch for Virtual



STEEL SERIES



*Bringing back the serenity and simplicity.*






**ADARIA MINK**



STEEL SERIES



*Beauty, minimalism and balance.*



# ADARIA MINK

■ **800x1600mm**

◆ **Matt Finish / Steel Surface**

Touch for Virtual



# JURA SERIES

---





**JURA BEIGE**



STEEL SERIES



An absolutely irresistible space.



# JURA BEIGE

800x1600mm


◆ Matt Finish / Steel Surface

Touch for Virtual





JURA SMOKE



STEEL SERIES



*Formats for Infinite possibilities.*



# JURA SMOKE

■ **800x1600mm**


◆ **Matt Finish / Steel Surface**

Touch for Virtual



# RODEO SERIES

---





**RODEO BEIGE**



STEEL SERIES



*Design steals all the limelight.*



# RODEO BEIGE

■ 800x1600mm

◆ **Matt** Finish / **Steel** Surface

Touch for Virtual






**RODEO DAWN**



STEEL SERIES



*Brings us closer to the beauty of nature.*



# RODEO DAWN

■ 800x1600mm

◆ **Matt** Finish / **Steel** Surface

Touch for Virtual



# Technical Specification

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
<b>STRUCTURAL PROPERTIES</b>			
Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>			
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
<b>SAFETY PROPERTIES</b>			
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

## Packing Detail

SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT ( APPROX. )
800X1600	9 MM	2	27.55	52 KG



**HEAD OFFICE:**

No. 31,32 / 4th Floor, Harigun Business Center,  
At- Mahendranagar, Morbi-363642 (Gujarat) INDIA

**FACTORY:**

Jetpar-Pipli Road, At- Rangpar  
Morbi-363642 (Gujarat) INDIA

+91 9586811311 | +91 7802933333  
info@limil.in      www.limil.in